

## Topic Test: Analytic Geometry

- 1 The area of an ellipse is the same as the area of a square with sides of length 8. If the length of the minor axis is always two-thirds of the length of the major axis, then find the focal length of the ellipse. Round the answer to the nearest hundredth.
- A) 8.22                      B) 8.23                      C) 8.24  
D) 8.25                      E) NOTA
- 2 The eccentricity of a conic section is  $\frac{3}{5}$ . The distance between the focal points is 24. Find the length of the minor axis of this conic section.
- A) 32                      B) 40                      C) 42  
D) 48                      E) NOTA
- 3 Find the area of an ellipse with the following equation:  
 $9x^2 + 36y^2 - 54x - 360y = -657$
- A)  $9\pi$                       B)  $18\pi$                       C)  $36\pi$   
D)  $324\pi$                       E) NOTA
- 4 What is the center, C, and the radius, r, of the circle  $(x-4)^2 + (y+3)^2 = 7$
- A)  $C(-4,3), r=7$                       B)  $C(4,-3), r=7$                       C)  $C(-4,3), r=\sqrt{7}$   
D)  $C(4,-3), r=\sqrt{7}$                       E) NOTA
- 5 What is the area of the region enclosed by  $4x^2 + y^2 = 36$  ?
- A)  $9\pi$                       B)  $18\pi$                       C)  $36\pi$   
D)  $39\pi$                       E) NOTA
- 6 What are the coordinates of the focus of the parabola  $y^2 - 6y - 4x + 13 = 0$
- A) (0,2)                      B) (2,0)                      C) (3,2)  
D) (2,3)                      E) NOTA
- 7 If  $x = \frac{y+6}{x-1}$ , for  $x \neq 1$  then what is the vertex of the graph?
- A) (0,-6)                      B) (-6,0)                      C) (3,2)  
D) (2,3)                      E) NOTA
- 8 The graph of  $4x^2 - 16x - y^2 - 6y - 9 = 0$  is a(n)
- A) Parabola                      B) Hyperbola                      C) Ellipse  
D) Circle                      E) NOTA
- 9 For what value of k will the graph of the equation  $2x^2 + xy - 6y^2 + 7x - 7y = k$  form two intersection lines?
- A) -3                      B) 0                      C) 3  
D) 6                      E) NOTA

## Topic Test: Analytic Geometry

- 10  $B(x)$  is the graph of all co-planar points for which the sum of the distances to the points (1,3) and (1,5) is 6. The graph of  $B(x)$  is a(n)
- A) Line                                      B) Ellipse                                      C) Parabola  
D) Hyperbola                                      E) NOTA
- 11 The locus of points in a plane equidistant from (-1, -4) and (5, 3) can be expressed by an equation of fitting the form  $Ax + By = C$ , where  $A$ ,  $B$  and  $C$  are relatively prime integers, and  $A \geq 0$ . What is  $A + B + C$ ?
- A) 24                                      B) 29                                      C) 31  
D) 43                                      E) NOTA
- 12 Which of the following represent a conic section?
- I.  $y = x^2 + 1$   
II.  $y = \frac{1}{x}$   
III.  $y = 3x^2 + x - 2y^2 + y + 7$
- A) I only                                      B) I and II only                                      C) I and III only  
D) I, II and III                                      E) NOTA
- 13 What is the exact area bounded by  $x^2 - 6x + y^2 + 12y = -20$
- A) 13                                      B) 25                                      C)  $13\pi$   
D)  $25\pi$                                       E) NOTA
- 14 What is the conic represented by the following equation?  
 $0 = 6x^2 - 4xy + 8y^2 + 3x + 4y + 695$
- A) Circle                                      B) Ellipse                                      C) Hyperbola  
D) Parabola                                      E) NOTA
- 15 A parabola with equation  $y = 0.25x^2 + 3x + 2$  contains points A and B. Where do the lines tangent to A and B intersect the directrix if  $\overline{AB}$  is the latus rectum?
- A) (-6, -7)                                      B) (-6, -8)                                      C) (-4, -6), (-8, -6)  
D) (5,4)                                      E) NOTA
- 16 For the conic  $4x^2 + 9y^2 - 16x - 20 = 0$ , find the sum of the x-coordinates of the foci and the vertices on the major axis.
- A) 0                                      B) 6                                      C)  $4 + \sqrt{5}$   
D)  $8 + \sqrt{5}$                                       E) NOTA

## Topic Test: Analytic Geometry

- 17 An arch in the form of a semi-ellipse is 48 ft. wide at the base and has a height of 20 ft. How wide (exactly) is the arch at a height of 10 feet above the base?
- A)  $6\sqrt{3}$                       B)  $12\sqrt{3}$                       C)  $18\sqrt{3}$   
D)  $24\sqrt{3}$                       E) NOTA
- 18 What is the area of the circle with equation  $x^2 + y^2 - 4y - 96 = 0$ ?
- A)  $9216\pi$                       B)  $100\pi$                       C)  $96\pi$   
D)  $10\pi$                       E) NOTA
- 19 The graph of the quadratic equation with equation  $y = 2x^2 + 8x + C$  passes through the x-axis at the point  $(-1, 0)$ . The graph also passes through the x-axis at the point  $(k, 0)$ . Find the value of  $k$ .
- A) 4                      B) 1                      C) -3  
D) -5                      E) NOTA
- 20 The maximum of  $f(x) = -x^2 + 2x + q$  has a maximum value of 6 at  $x = 1$ . What is the value of  $f(x)$ ?
- A) 6                      B) 5                      C) -3  
D) -2                      E) NOTA
- 21 Determine the equation for the locus of points equidistant from the point  $(4,3)$  and the line  $y = -1$  and lying in the same plane.
- A)  $y = \frac{1}{8}(x-4)^2 + 1$                       B)  $x = \frac{1}{8}(y-3)^2 + 4$                       C)  $y = 8(x-4)^2 + 1$   
D)  $y = \frac{1}{8}(x-3)^2 + 4$                       E) NOTA
- 22 Which of the following is not a conic section?
- A) Hyperbola                      B) Point                      C) Circle  
D) 2 intersecting lines                      E) NOTA
- 23 If the circle which passes through the points  $(1,1)$ ,  $(10,-2)$  and  $(2,-6)$  is written in standard form, find the sum of the coefficients for each x term with a nonzero exponent.
- A) -10                      B) -9                      C) -8  
D) -4                      E) NOTA

## Topic Test: Analytic Geometry

- 24 Determine the area of the largest circle that can be inscribed within the area of the intersections of the following two circles:

Circle 1:  $x^2 + y^2 + 6x - 8y + 16 = 0$

Circle 2:  $x^2 + y^2 - 4x - 8y + 4 = 0$

- A)  $\frac{\pi}{4}$                       B)  $\pi$                       C)  $\frac{3\pi}{2}$   
D)  $4\pi$                       E) NOTA

- 25 Determine the eccentricity of the ellipse defined by the following equation:

$$9x^2 + 4y^2 - 54x - 16y - 47 = 0$$

- A)  $\frac{\sqrt{5}}{3}$                       B)  $\frac{\sqrt{13}}{3}$                       C)  $\frac{3}{2}$   
D)  $\frac{9}{2}$                       E) NOTA

26

Each asymptote of the hyperbola  $\frac{(x-3)^2}{9} - \frac{(y-2)^2}{4} = 1$  intersects the line

$3y + 7x = 8$  once. What is the sum of the abscissas of these two intersection point?

- A)  $\frac{4}{3}$                       B)  $\frac{4}{45}$                       C)  $\frac{4}{5}$   
D)  $\frac{68}{15}$                       E) NOTA

- 27 Of the shortest distance from the latus rectum to the directrix of a parabola is 6, what is the length of the latus rectum?

- A) 3                      B) 6                      C) 12  
D) Cannot be determined    E) NOTA

- 28 What is area plus the circumference of the graph of  $x^2 + y^2 + 28x - 34y + 469 = 0$ ?

- A)  $8\pi$                       B)  $16\pi$                       C)  $32\pi$   
D)  $24\pi$                       E) NOTA

## Topic Test: Analytic Geometry

- 29 To graph a hyperbola, first you create a "rectangle" whose midpoints of sides are the vertices and co-vertices of the hyperbola. You then draw the lines which contains the diagonals of the "rectangle, and trace in the hyperbola. What is the area of the "rectangle" used in graphing

$$8x^2 - 9y^2 + 32x + 54y - 121 = 0 ?$$

- A)  $6\sqrt{2}$                       B) 34                      C)  $24\sqrt{2}$   
D) 72                      E) NOTA

- 30 The focus of  $y^2 - 17x - 6y - 25 = 0$  has coordinates  $(a, b)$ . Find  $\frac{\ln|ab|}{b^2}$  to the nearest hundredth.

- A) -0.06                      B) 0.21                      C) 0.67  
D) 1.04                      E) NOTA

- 31 A parabola is defined in the Cartesian plane by a focus of  $(9, 2)$  and a directrix with equation  $9x + 6y = 80$ . Determine the length of the latus rectum for the described conic section.

- A)  $\frac{\sqrt{13}}{2}$                       B)  $\frac{3\sqrt{13}}{2}$                       C)  $\frac{\sqrt{13}}{3}$   
D)  $\frac{2\sqrt{13}}{3}$                       E) NOTA

- 32 A cartographer is placed in charge of mapping as much land as he can. He digs a well 10 miles away from his office. Each day he can ride his horse a total of 40 miles. How many square miles can he cover on horseback if he is to take a break for water half way through each excursion?

- A)  $50\pi\sqrt{3}$                       B)  $50\pi\sqrt{2}$                       C)  $\frac{50\pi}{3}\sqrt{3}$   
D)  $\frac{50\pi}{3}\sqrt{2}$                       E) NOTA

- 33 Which of the following conics is incorrectly match with its possible degenerate?

- A) Circle-point                      B) Ellipse-line                      C) Parabola – 2 lines  
D) Hyperbola- 2 intersection lines                      E) NOTA

**Topic Test: Analytic Geometry**

34 Give the eccentricity of  $2x^2 - y^2 + 8x + 6y - 11 = 0$

- A)  $\sqrt{3}$                       B)  $\frac{\sqrt{6}}{2}$                       C)  $\sqrt{15}$   
D)  $\frac{\sqrt{2}}{2}$                       E) NOTA

35 Which of the following represent equations of the asymptotes of the hyperbola given by  $4x^2 - 3y^2 + 8x + 16 = 0$

- A)  $y = \pm \frac{2}{\sqrt{3}}(x-1)$                       B)  $y = \pm 3x - 1$                       C)  $y = \pm \frac{2}{\sqrt{3}}x$   
D)  $y = \pm 4x$                       E) NOTA

36 Halley's comet has an elliptical orbit with an eccentricity of  $e \approx 0.97$ . The length of the major axis of the orbit is approximately 36.18 astronomical units. To the nearest million miles how close does Halley's comet come to the sun if the mean distance between earth and the sun is approximately 93 million miles?

- A) 50 million                      B) 45 million                      C) 44 million  
D) 47 million                      E) NOTA

37 Which of the following is an equation of the parabola whose vertex is at  $\left(\frac{5}{2}, -\frac{3}{4}\right)$

and whose graph passes through the point  $(-2, 4)$ ?

- A)  $y = \left(x + \frac{5}{2}\right)^2 - \frac{3}{4}$                       B)  $y = \frac{3}{4}\left(x - \frac{5}{2}\right)^2$                       C)  $y = 19\left(x - \frac{5}{2}\right)^2 - \frac{3}{4}$   
D)  $y = \left(x - \frac{5}{2}\right)^2 - \frac{3}{4}$                       E) NOTA

38 What is the eccentricity of  $8x^2 - 16xy + 8y^2 + 5x - 2y = 2718281828$

- A) 0                      B) 1                      C) 2  
D)  $E$                       E) NOTA

## Topic Test: Analytic Geometry

### Answers

1.	C
2.	A
3.	B
4.	D
5.	B
6.	D
7.	E (1/2,-25/4)
8.	B
9.	A
10.	12
11.	D
12.	C
13.	D
14.	B
15.	B
16.	E 8
17.	D
18.	B
19.	C
20.	B
21.	A
22.	E
23.	B
24.	B
25.	A
26.	B
27.	C
28.	D
29.	C
30.	B
31.	D
32.	A
33.	B
34.	A
35.	E $y = \pm \frac{2}{\sqrt{3}}(x+1)$
36.	A
37.	E $y = \frac{19}{18} \left( x - \frac{5}{2} \right)^2 - \frac{3}{4}$
38.	B

## Topic Test: Analytic Geometry

### Solutions

1	$A = ab\pi, \quad a = \frac{3}{2}b, \quad a^2 = b^2 + c^2$ $64 = b\left(\frac{3}{2}b\right)\pi, \quad 64 = a\left(\frac{2}{3}a\right)\pi, \quad c^2 = \frac{96}{\pi} - \frac{128}{3\pi} = \frac{160}{3\pi}$ $b^2 = \frac{128}{3\pi}, \quad a^2 = \frac{96}{\pi}, \quad c = \frac{4\sqrt{30\pi}}{3\pi} \rightarrow 2c = \frac{8\sqrt{30\pi}}{3\pi} \approx 8.24$
2	$e = \frac{3}{5} = \frac{12}{a}, a = 20, \quad 20^2 = b^2 + 12^2, b^2 = 256, b = 16 \rightarrow 2b = 32$
9	Show that the product of two linear terms in 0. $(2x - 3y)(x + 2y)$ ; Then try to match up linear terms $2x^2 + xy - 6y^2 + 7x - 7y - k = (2x - 3y + 1)(x + 2y + 3) \rightarrow -k = 3 \rightarrow k = -3$